ELSEVIER

Volume 222, Numbers 1–2, 1 May 1995

Journal of ALLOYS AND COMPOUNDS

Contents

Preface ix

International Advisory Board x

Organizing Committee x

Chapter 1. Hard Magnetic Materials and Related Phenomena

Dependence of coercivity on particle size in $Sm_2Fe_{17}N_3$ powders (Invited paper) 1
K. Kobayashi, R. Skomski, J.M.D. Coey (Dublin, Ireland)

Overview and outlook of bonded magnets in Japan (Invited paper) 8
M. Hamano (Tokyo, Japan)

Effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds 13
H. Nakamura, S. Sugimoto, T. Tanaka, M. Okada, M. Homma (Sendai, Japan)

New processing routes for the preparation of $Sm_2Fe_{17}M_x$ (M ≡ C and/or N) materials 18
K. Machida, A. Nakamoto, Y. Nakatani, G. Adachi, A. Onodera (Osaka, Japan)

Study on high performance $Sm_2Fe_{17}N_x$ magnets 23
J.L. Wang, W.Z. Li, X.P. Zhong, Y.H. Gao, W.D. Qin, N. Tang, W.G. Lin, J.X. Zhang, R.W. Zhao, Q.W. Yan, F. Yang (Beijing, People's Republic of China)

Anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17} 27
C.N. Christodoulou, N. Komada (Saitama, Japan)

Pressure–composition–temperature relationships of the Sm_2Fe_{17}–N system 33
H. Uchida, T. Yanagisawa, S. Kise, S. Tachibana, T. Kawanabe, Y. Matsumara, V. Koeninger, H.H. Uchida, Y. Miyamoto (Kanagawa, Japan), H. Kaneko, T. Kurino (Tokyo, Japan)

Nitrogen- and carbon-induced reduction of Gd–Fe exchange coupling in Gd_2Fe_{17} doped samples 39
M. Loewenhaupt, P. Tils (Jülich, Germany), K.H.J. Buschow (Amsterdam, Netherlands), R.S. Eccleston (Didcot, Oxon, UK)

Nitrogen absorption in bulk and thin films of $RFe_{12-x}T_x$-type compounds 44
D. Niarchos, O. Kalogirou, V. Psycharis, J. Panayotopoulos, L. Saettas (Athens, Greece)

Recent developments in rare-earth nitrides and carbides 49
G.C. Hadjipanayis, Y.H. Zheng, A.S. Murthy, W. Gong (Newark, DE, USA), F.M. Yang (Beijing, People's Republic of China)

Novel permanent magnetic material: $Sm_3(Fe,Ti)_{29}N_y$ 57
B. Nasunjilegal, F.-M. Yang, N. Tang, W.D. Qin, J.L. Wang, J.J. Zhu, H.Q. Guo, B.P. Hu, Y.Z. Wang (Beijing, People's Republic of China), H.S. Li (Kensington, NSW, Australia)

High field magnetization and spin reorientation in $Sm_2(Fe_{1-x}Al_x)_{17}$ single crystals 62
H. Kato, J. Shiomi, T. Koide (Sendai, Japan), T. Iriyama (Fuji, Japan), M. Yamada (Tagajo, Japan) and Y. Nakagawa (Sendai, Japan)

Magnetic properties of Sm–Nd–Fe–Co–N compounds and magnetic viscosity of their bonded magnets 67
H. Yamamoto, T. Kumanbara (Kawasaki, Japan), H. Nishio (Narita, Japan) and S. Suzuki (Shizuoka-ken, Japan)

Effect of Mn addition to Sm–Fe–N magnets on the thermal stability of coercivity 73
N. Imaoka, T. Iriyama, S. Itoh, A. Okamoto and T. Katsumata (Fuji, Japan)

Effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm) 78
K. Ohno, K. Shimazawa, T. Urakabe, T. Saito, K. Shinagawa and T. Tsushima (Chiba, Japan)

Elsevier Science S.A.

Influence of nitrogenating conditions on magnetic properties of $NdFe_8Co_3TiN_x$ 82
N. Inoue and S. Suzuki (Shizuoka-ken, Japan)

Magnetic studies of $(Y_{1-x}Nd_x)(Fe_{1-y}Co_y)_{11.5}Mo_{0.5}N$ alloy powders 87
W.C. Chang, C.S. Chen and Y.D. Yao (Chia-Yi, Taiwan)

High coercivity anisotropic $Sm_2Fe_{17}N_3$ powders. 92
C.N. Christodoulou and N. Komada (Saitama, Japan)

Microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides 96
S. Yu, S. Zhou, M. Zhang, F. Li, R. Wang, G. Lin, L. Chai, X. Wu, Y. Yin, Y. Lin (Beijing, People's Republic of China)

Intrinsic and hard magnetic properties of $Sm_2(Fe_{1-x}Al_x)_{17}$ nitrides 100
S. Yu, S. Zhou, M. Zhang, F. Li, R. Wang, G. Lin, L. Chai, X. Wu, Y. Yin, Y. Lin (Beijing, People's Republic of China)

Hard magnetic behavior of $Sm_2Fe_{17}N_x$ and $Nd(Fe, Mo)_{12}N_x$ epoxy resin-bonded materials. 103
J. Hu, F. Yang, T. Zhao, Q. Yan, Z. Wang, G. Liu, Y. Wang, B. Hu, S. Yu, J. Yang, S. Zhou (Beijing, People's Republic of China)

Diffusion behavior of N atoms in Sm_2Fe_{17}. 107
H. Uchida, S. Tachibana, T. Kawanabe, Y. Matsumura, V. Koeninger, H.H. Uchida (Kanagawa, Japan), H. Kaneko, T. Kurino (Tokyo, Japan)

Diffusion process of nitrogen in Sm_2Fe_{17} 113
J. Hu, T. Zhao, H. Guo, B. Shen, Z. Wang, G. Liu, K. Wang, Y. Wang, B. Hu (Beijing, People's Republic of China)

Nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres 117
V. Koeninger (Kanagawa, Japan), H.H. Uchida, H. Uchida (Hiratsuka, Japan)

Formation, structure and magnetic properties of $(Er_{1-x}Y_x)_2Fe_{17}C_2$ 123
B.-G. Shen, L. Cao, H.-Q. Guo, J.-X. Zhang, L.-S. Kong, H.-Y. Gong, Z.-H. Cheng (Beijing, People's Republic of China)

Decomposition behaviors and magnetic properties of $Sm_2(Fe_{1-x}Co_x)_{17}M_yC$ and $Sm_2(Fe_{1-x}Co_x)_{17}M_yCN_2$ ($M \equiv$ Be, Mg, Al, Si, V, Cr, Mn, Ni, Ga, Ge, Mo, In, Ta or W). 127
H. Horiuchi, U. Koike (Kanagawa, Japan), H. Kaneko, T. Kurino (Tokyo, Japan), H. Uchida (Kanagawa, Japan)

Effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties 131
H. Horiuchi, U. Koike (Kanagawa, Japan), H. Kaneko, T. Kurino (Tokyo, Japan), H. Uchida (Hiratsuka, Kanagawa, Japan)

Effects of additives on hydrogenation, disproportionation, desorption and recombination phenomena in $Nd_2Fe_{14}B$ compounds 136
H. Nakamura, S. Sugimoto, T. Tanaka, M. Okada, M. Homma (Sendai, Japan)

Neutron powder diffraction study of the structure of $Er_2Fe_{17}N_{4.5}$. 141
Q.W. Yan, P.L. Zhang, Y.N. Wei, K. Sun, B.P. Hu, Y.Z. Wang, G.C. Liu, C. Gou, D.F. Chen (Beijing, People's Republic of China)

Magnetic viscosity of $Sm_2Fe_{17}N_x$ ($x = 1.6$–3.5) alloys 143
T.S. Chin, M.F. Wu (Hsinchu, Taiwan), S.K. Chen (Taichung, Taiwan), J.M. Yao (Hsinchu, Taiwan)

Magnetic properties of $(LR_xSm_{1-x})_2(FeCo)_{17}N_{2-\delta}$ Zn bonded magnets ($LR \equiv$ La, Ce) 148
T.S. Chin, K.H. Cheng, J.M. Yao (Hsinchu, Taiwan)

Synthesis of NH_3 on Fe, Sm and Sm_2Fe_{17} surfaces 153
H. Uchida, K. Ishikawa, T. Suzuki, T. Inoue, H.H. Uchida (Kanagawa, Japan)

Chapter 2. Soft Magnetic Materials

The synthesis and characterization of bulk α''-$Fe_{16}N_2$ (Invited paper). 160
K.H. Jack (Newcastle upon Tyne, UK)

Co–(N, O)-based granular thin films and their soft magnetic properties 167
S. Ohnuma, H. Fujimori, S. Furukawa, S. Mitani, T. Masumoto (Sendai, Japan)

Phase relations and the martensitic transformation in Fe–N-based thin films. 173
C. Pithan (Stuttgart, Germany), K. Katori, K. Hayashi (Yokohama-shi, Japan), K. Aso (Sagamihara-shi, Japan), G. Petzow (Stuttgart, Germany)

Structure and magnetic properties of mechanically alloyed iron nitride powders 179
P.-Y. Lee, T.-R. Chen (Keelung, Taiwan), T.-S. Chin (Hsinchu, Taiwan)

Magnetic properties and structure of Mn_4N films on glass substrates 184
K.-M. Ching, W.-D. Chang, T.-S. Chin (Hsinchu, Taiwan)

The saturation magnetization of Fe–N films prepared by nitriding treatment in N_2 plasma 188
Y. Utsushikawa, K. Niizuma (Chiba, Japan)

Reactivity of N_2 with Fe in FeN_x formation by activated reactive evaporation process 193
T. Chujo, K. Hiroe, Y. Matsumura, H. Uchida, H.H. Uchida (Kanagawa, Japan)

Author Index 197

Subject Index 199

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.